



Quote Version: 6.0

Salesman:

Chassis Information

QTY	
1	Freightliner MT-45 6.7L 220 HP Cummins diesel engine 19,500lb GVW - 8,000 lb front axle; 13,000 lb rear axle 1000HS Allison Automatic Transmission Hydraulic Brakes Spring Suspension Front Stabilizer bar Rear Sway bar 200 amp alternator 40 Gallon Fuel Tank & 10 gallon DEF tank 225/70R19.5 Tires w/ steel wheels painted white Daytime running lights Tilt/Telescoping steering wheel Block heater Driver message center w/ LCD display Cruise control

Body Information

QTY	
1	16' Long, 99" Wide Morgan Olson Body Sliding door, curbside, with fixed window Fixed driver side panel with roll-down window All aluminum construction - roof, side walls and skirting 2.25" Aluminum wall beams on 24" centers Heated mirrors High back bucket driver seat on suspension pedestal with arm rests and three point seat belt Bulkhead mounted jump seat w/ 3-point seatbelt Twin 19" rear swing doors Magnetic contacts on rear doors to prevent gate operation unless doors are fully open or closed Sliding, lockable bulkhead behind driver seat Aluminum hood Steel bumper, painted white USB charge port on dash Back-up alarm
1	Underbody Spray Foam Insulation
1	Keyless Electric Deadbolt

Walls, Ceiling & Flooring

QTY	
-----	--

1	Driver Area Finish: Raven Carpet on Bulkhead Raven Carpet above driver window Raven Carpet above sliding door Dry erase Overhead panel Dry erase Ceiling Material
	R-11 Fiberglass Insulation Throughout Vehicle
	3/4" Marine Plywood Subwalls
	Raven Carpet on Side Walls
	Raven Carpet on Shelving
	Raven Carpet on Rear Wall
	Raven Carpet on Rear Door
1	3/16" White Pegboard w/ Black Heavy Duty Lacing on Walls in Shelving Areas
	Foam Rub Rail in Tool Box Areas For Tool Storage Protection
	Zinc coated e-track in tool storage areas; additional e-track as located on drawing
x	5/8" Tongue and Groove Plywood Subfloor
1	Heavy duty Loncoin vinyl non-slip flooring
x	.125" Aluminum Smooth Plate in Tool Box Areas
x	3/4" Marine Plywood Subceiling
x	3/16" White Pegboard w/ Heavy Duty Lacing (Double Skip Pattern) on Ceiling
x	White Seam Molding Ceiling Slats
x	Aluminum Ceiling Trim
1	Rubber Grab Handle at Entry Door

Exterior Build Features

QTY	
1	2,000 lb all-aluminum lift gate 85" wide x 72" deep main platform w/ 48" wide x 12" deep flip extension with integrated cart stop Auto open/ close feature Above-bed lift gate travel allows platform to rise to interior floor level Side-facing cart guides Truck side cart stop Aluminum transition plate between gate and interior
1	Sign holder mounted near side entry door

Graphics Information

QTY	
1	Snap-on decal kit Body striping with reflective product descriptions and reflective web address Large "Snap-on" logo on driver and passenger sides Snap-on logo on front of vehicle
1	Name & Number Decals Installed on Driver and Passenger Side of The Truck - Font Style: _____ Name: _____ Number: _____
1	"Own-it" Liftgate Decal

Shelving, Storage & Display Features

QTY

1	Carpeted shelf bumper(s) - Franchise style
4	36" Sliding Display Drawers
4	30" Sliding Display Drawers
1	39" wide x 8" deep Overstock Storage Drawers
2	33" wide x 8" deep Overstock Storage Drawers
12	39" Aluminum-faced VersaFlex Shelves
4	Undershelf sliding aluminum parts bin drawers with lids
1	Carpet wrapped front shelf in cab area
1	Black Snap-on Workstation w/File Drawer, Broken Tools Drawer, and Five Storage Drawers 20" Wide X 24" Deep
2	Large Display-N-Stay Strap
1	4-hole ABS Hammer Display (Mounted Above Repair Stack)
1	83" tool box area with aluminum smooth plate flooring
1	60" tool box area with aluminum smooth plate flooring
1	Air Tool Display
1	Diagnostic Display
2	3 Shelf Promo Display
1	Jack Display
1	Floor Jack Display Hook for FJ175
1	Cordless Power Tool Display
1	Torque Wrench Display
1	Hand Tool Display
12	12" Plastic Shelves on rear door

Audio / Video Information

QTY

1	AM/FM / Bluetooth / Satellite Ready Radio / SINGLE DIN
4	6" Round Speakers
1	19" LED Flat Panel TV w/ Mounting Bracket
1	HDMI Cable From Monitor to Desk

Electrical Information

QTY

1	2000 watt pure sine inverter
1	60 Amp Electronic Marine Battery Converter/Charger
4	15 AMP 120 VAC duplex receptacles - inverted
2	15 AMP 120 VAC duplex receptacles - shoreline / generator powered
1	30 amp – 120 V AC, stainless steel shore power inlet with sealing collar adapter plug
	12/3 marine cable used for all 120 V AC branch wiring
4	6 volt lead-acid batteries installed in an exterior compartment
1	Battery watering kit included
1	Battery combiner
1	12VDC / 120VAC (split) control / breaker panel with voltage display
	All 12 v Wiring is coded to aid in identification and system troubleshooting

HVAC Information

QTY

1	53,000 BTU Engine Driven Air Conditioner Mounted at Rear of Truck W/Rooftop Mounted Condensor
1	3 Speed Power Roof Vent
2	12V Fan
1	12,000 BTU Diesel Fired Furnace Utilizes Chassis Fuel Source

Lighting Information

QTY	
20	18" LED Lights - one at each shelf and drawer
7	48" LED Lights - ceiling lights

Safety & Security Features

QTY	
1	Color Back-up Camera Mounted on an Offset Bracket to Provide Visibility Beyond The Lift Gate 7" LED Color Monitor Mounted in The Cab
1	Heavy Duty Non-Slip Stepwell Covers
1	Alarm System, Including: Keypad Location: Front overhead panel Qty 2 Siren Speakers (Under Hood and Under Frame) Qty 2 Dual Tech Infrared Motion Detectors Keyless Alarm Entry Magnetically Controlled Contacts on Doors and Windows Ignition Kill Relay
1	Warning triangles
2	Fire extinguishers
2	Wheel chocks
1	First Aid Kit

Additional Options

QTY	
-----	--

Specified Vehicle Price (CAD): **\$184,982**

Extended Warranty: **Included in Vehicle Price**

1	Freightliner MT-45 Extended - Basic Chassis - 5 yr / 100,000 mi
1	Freightliner MT-45 Extended - Axles - 5 yr / 100,000 mi
1	Allison - 1000 HS - 5 yr / Unlimited
1	Cummins ISB 6.7L - Protection Plan 1 - 5 yr / 100,000 mi

Delivery: **\$0.00**

Total Vehicle Price (CAD): **\$184,982.00**

This quotation is valid for 45 days from the quotation date.

The information contained in this quotation is confidential, privileged and the exclusive property of LDV Incorporated. This information is to be used solely by the individual or entity named above. Any reproduction, dissemination, fabrication, or manufacture for sale of any information contained in this quotation, in part or as a whole without the written permission of LDV Incorporated is prohibited.